

Hole	Composite Interval	From (m)	To (m)	Width (m)	Au (g/t)
BR-020	48g/t / 3.25m	90.75	94.00	3.25	48.08
BR-020		90.75	91.25	0.50	99.64
BR-020		91.25	91.75	0.50	46.14
BR-020		91.75	92.25	0.50	159.35
BR-020		92.25	93.00	0.75	0.78
BR-020		93.00	93.50	0.50	1.02
BR-020		93.50	94.00	0.50	5.21
BR-022	8g/t / 2.80m	432.90	435.70	2.80	8.18
BR-022		432.90	433.40	0.50	10.59
BR-022		433.40	433.90	0.50	2.42
BR-022		433.90	434.40	0.50	5.45
BR-022		434.40	435.00	0.60	1.84
BR-022		435.00	435.70	0.70	17.96
BR-060	12g/t / 4.30m	306.70	311.00	4.30	11.95
BR-060		306.70	307.20	0.50	50.17
BR-060		307.20	307.70	0.50	31.79
BR-060		307.70	308.20	0.50	8.98
BR-060		308.20	309.00	0.80	0.78
BR-060		309.00	309.70	0.70	0.34
BR-060		309.70	310.60	0.90	1.82
BR-060		310.60	311.00	0.40	8.52
BR-065	97g/t / 4.35m	252.55	256.90	4.35	97.00
BR-065		252.55	253.10	0.55	63.53
BR-065		253.10	253.60	0.50	150.37
BR-065		253.60	254.25	0.65	223.70
BR-065		254.25	254.80	0.55	263.36
BR-065		254.80	255.30	0.50	5.20
BR-065		255.30	255.80	0.50	25.77
BR-065		255.80	256.30	0.50	9.41
BR-065		256.30	256.90	0.60	2.30
BR-100	10g/t / 1.05m	375.50	376.55	1.05	9.52
BR-100		375.50	376.05	0.55	14.00
BR-100		376.05	376.55	0.50	4.60
BR-101	118g/t / 0.50m	197.00	197.50	0.50	118.00
BR-101		197.00	197.50	0.50	118.00
BR-102	23g/t / 3.50m	132.00	135.50	3.50	23.17
BR-102		132.00	132.50	0.50	24.60
BR-102		132.50	133.00	0.50	39.60
BR-102		133.00	133.50	0.50	9.22
BR-102		133.50	134.00	0.50	8.86
BR-102		134.00	134.50	0.50	29.40
BR-102		134.50	135.00	0.50	31.60
BR-102		135.00	135.50	0.50	18.90
BR-103	17g/t / 0.50m	526.50	527.00	0.50	16.90
BR-103		526.50	527.00	0.50	16.90

BR-108	15g/t / 1.00m	334.00	335.00	1.00	14.97
BR-108		334.00	334.50	0.50	25.50
BR-108		334.50	335.00	0.50	4.43
BR-109	14g/t / 4.00m	210.50	214.50	4.00	14.48
BR-109		210.50	211.00	0.50	27.20
BR-109		211.00	211.50	0.50	0.37
BR-109		211.50	212.00	0.50	0.66
BR-109		212.00	212.50	0.50	0.97
BR-109		212.50	213.00	0.50	21.20
BR-109		213.00	213.50	0.50	1.67
BR-109		213.50	214.00	0.50	33.30
BR-109		214.00	214.50	0.50	30.50
BR-129	4g/t / 2.25m	411.65	413.90	2.25	4.21
BR-129		411.65	412.25	0.60	8.50
BR-129		412.25	412.65	0.40	4.14
BR-129		412.65	413.60	0.95	1.43
BR-129		413.60	413.90	0.30	4.53
BR-133	7g/t / 3.30m	155.70	159.00	3.30	7.32
BR-133		155.70	156.60	0.90	3.70
BR-133		156.60	157.50	0.90	1.09
BR-133		157.50	158.25	0.75	0.38
BR-133		158.25	159.00	0.75	26.10
BR-133	15g/t / 25.15m	163.35	188.50	25.15	15.45
BR-133		163.35	164.00	0.65	0.11
BR-133		164.00	164.50	0.50	0.21
BR-133		164.50	165.00	0.50	0.26
BR-133		165.00	165.75	0.75	0.42
BR-133		165.75	166.50	0.75	0.08
BR-133		166.50	167.20	0.70	1.40
BR-133		167.20	168.05	0.85	0.64
BR-133		168.05	168.80	0.75	1.09
BR-133		168.80	169.65	0.85	0.19
BR-133		169.65	170.25	0.60	2.91
BR-133		170.25	170.90	0.65	23.00
BR-133		170.90	171.40	0.50	1.14
BR-133		171.40	172.00	0.60	186.00
BR-133		172.00	172.50	0.50	4.63
BR-133		172.50	173.00	0.50	0.39
BR-133		173.00	173.65	0.65	8.80
BR-133		173.65	174.15	0.50	5.35
BR-133		174.15	174.65	0.50	155.00
BR-133		174.65	175.50	0.85	5.79
BR-133		175.50	176.00	0.50	86.20
BR-133		176.00	176.50	0.50	4.90
BR-133		176.50	177.00	0.50	27.40
BR-133		177.00	177.50	0.50	18.10
BR-133		177.50	178.00	0.50	15.10

BR-133		178.00	178.50	0.50	9.65
BR-133		178.50	179.00	0.50	1.15
BR-133		179.00	179.50	0.50	20.80
BR-133		179.50	180.00	0.50	8.20
BR-133		180.00	180.50	0.50	4.65
BR-133		180.50	181.00	0.50	4.21
BR-133		181.00	181.65	0.65	1.56
BR-133		181.65	182.15	0.50	5.32
BR-133		182.15	182.65	0.50	108.00
BR-133		182.65	183.15	0.50	0.63
BR-133		183.15	183.65	0.50	0.74
BR-133		183.65	184.15	0.50	0.93
BR-133		184.15	184.65	0.50	0.63
BR-133		184.65	185.15	0.50	0.79
BR-133		185.15	185.65	0.50	2.00
BR-133		185.65	186.15	0.50	1.16
BR-133		186.15	187.00	0.85	0.66
BR-133		187.00	187.75	0.75	1.21
BR-133		187.75	188.50	0.75	0.66
BR-134	19g/t / 9.50m	207.50	217.00	9.50	19.24
BR-134		207.50	208.10	0.60	20.40
BR-134		208.10	208.75	0.65	26.20
BR-134		208.75	209.40	0.65	25.30
BR-134		209.40	210.20	0.80	0.00
BR-134		210.20	210.70	0.50	8.23
BR-134		210.70	211.30	0.60	0.14
BR-134		211.30	211.80	0.50	3.48
BR-134		211.80	212.30	0.50	8.13
BR-134		212.30	212.80	0.50	28.70
BR-134		212.80	213.50	0.70	23.10
BR-134		213.50	214.00	0.50	15.80
BR-134		214.00	214.50	0.50	19.50
BR-134		214.50	215.00	0.50	0.30
BR-134		215.00	215.50	0.50	13.60
BR-134		215.50	216.00	0.50	26.00
BR-134		216.00	216.50	0.50	38.70
BR-134		216.50	217.00	0.50	79.20
BR-135	25g/t / 3.00m	325.00	328.00	3.00	24.61
BR-135		325.00	325.50	0.50	4.41
BR-135		325.50	326.00	0.50	45.70
BR-135		326.00	326.50	0.50	5.32
BR-135		326.50	327.00	0.50	1.60
BR-135		327.00	327.50	0.50	89.60
BR-135		327.50	328.00	0.50	1.01
BR-136	6g/t / 6.95m	394.05	401.00	6.95	6.43
BR-136		394.05	395.00	0.95	19.50
BR-136		395.00	396.00	1.00	0.32

BR-136		396.00	396.95	0.95	0.18
BR-136		396.95	398.00	1.05	0.03
BR-136		398.00	399.10	1.10	1.57
BR-136		399.10	399.60	0.50	0.57
BR-136		399.60	401.00	1.40	16.90
BR-137	175g/t / 3.50m	214.45	217.95	3.50	174.59
BR-137		214.45	215.15	0.70	16.90
BR-137		215.15	215.65	0.50	766.00
BR-137		215.65	216.15	0.50	386.00
BR-137		216.15	216.65	0.50	13.60
BR-137		216.65	217.45	0.80	13.40
BR-137		217.45	217.95	0.50	11.40
BR-138	19g/t / 5.00m	237.00	242.00	5.00	19.35
BR-138		237.00	237.50	0.50	23.60
BR-138		237.50	238.00	0.50	100.00
BR-138		238.00	238.90	0.90	2.51
BR-138		238.90	239.40	0.50	34.30
BR-138		239.40	240.00	0.60	3.87
BR-138		240.00	240.50	0.50	2.21
BR-138		240.50	241.00	0.50	0.46
BR-138		241.00	241.50	0.50	7.09
BR-138		241.50	242.00	0.50	16.70
BR-139	23g/t / 5.50m	314.25	319.75	5.50	22.81
BR-139		314.25	315.00	0.75	3.30
BR-139		315.00	315.50	0.50	1.42
BR-139		315.50	316.00	0.50	1.46
BR-139		316.00	316.50	0.50	41.20
BR-139		316.50	317.00	0.50	63.00
BR-139		317.00	317.70	0.70	0.07
BR-139		317.70	318.20	0.50	96.50
BR-139		318.20	318.75	0.55	7.55
BR-139		318.75	319.25	0.50	21.20
BR-139		319.25	319.75	0.50	12.80
BR-156	15g/t / 19.00m	425.00	444.00	19.00	15.31
BR-156		425.00	426.00	1.00	4.02
BR-156		426.00	426.60	0.60	0.14
BR-156		426.60	427.10	0.50	4.43
BR-156		427.10	427.60	0.50	280.00
BR-156		427.60	428.10	0.50	13.00
BR-156		428.10	428.75	0.65	7.60
BR-156		428.75	429.40	0.65	1.94
BR-156		429.40	430.25	0.85	3.87
BR-156		430.25	430.75	0.50	24.20
BR-156		430.75	431.70	0.95	7.78
BR-156		431.70	432.25	0.55	24.30
BR-156		432.25	432.75	0.50	1.12
BR-156		432.75	433.25	0.50	7.23

BR-156		433.25	433.75	0.50	8.66
BR-156		433.75	434.25	0.50	1.60
BR-156		434.25	434.75	0.50	6.91
BR-156		434.75	435.30	0.55	115.00
BR-156		435.30	435.95	0.65	2.30
BR-156		435.95	437.45	1.50	1.22
BR-156		437.45	438.90	1.45	0.47
BR-156		438.90	440.00	1.10	0.06
BR-156		440.00	441.45	1.45	0.12
BR-156		441.45	442.45	1.00	0.99
BR-156		442.45	443.00	0.55	5.66
BR-156		443.00	443.50	0.50	18.10
BR-156		443.50	444.00	0.50	4.71
BR-157	8g/t / 9.95m	459.60	469.55	9.95	7.99
BR-157		459.60	460.10	0.50	71.00
BR-157		460.10	460.60	0.50	0.68
BR-157		460.60	461.60	1.00	3.44
BR-157		461.60	462.60	1.00	1.46
BR-157		462.60	463.60	1.00	1.65
BR-157		463.60	464.60	1.00	3.86
BR-157		464.60	465.60	1.00	1.61
BR-157		465.60	466.60	1.00	3.36
BR-157		466.60	467.60	1.00	3.24
BR-157		467.60	468.55	0.95	4.42
BR-157		468.55	469.05	0.50	7.63
BR-157		469.05	469.55	0.50	34.10
BR-158	5g/t / 0.90m	517.75	518.65	0.90	5.15
BR-158		517.75	518.65	0.90	5.15
BR-159	65g/t / 1.65m	605.00	606.65	1.65	65.34
BR-159		605.00	605.65	0.65	1.24
BR-159		605.65	606.65	1.00	107.00
BR-163	1g/t / 11.00m	411.00	422.00	11.00	1.24
BR-163		411.00	412.50	1.50	0.91
BR-163		412.50	414.00	1.50	1.09
BR-163		414.00	415.50	1.50	1.83
BR-163		415.50	417.00	1.50	2.19
BR-163		417.00	418.40	1.40	0.92
BR-163		418.40	418.90	0.50	0.05
BR-163		418.90	419.50	0.60	0.44
BR-163		419.50	420.00	0.50	0.57
BR-163		420.00	420.50	0.50	0.61
BR-163		420.50	421.00	0.50	1.57
BR-163		421.00	421.50	0.50	2.06
BR-163		421.50	422.00	0.50	1.26
BR-164	60g/t / 2.15m	325.45	327.60	2.15	60.30
BR-164		325.45	326.05	0.60	98.70
BR-164		326.05	326.60	0.55	107.00

BR-164		326.60	327.10	0.50	15.30
BR-164		327.10	327.60	0.50	7.84
BR-165	47g/t / 1.00m	222.70	223.70	1.00	46.52
BR-165		222.70	223.20	0.50	83.30
BR-165		223.20	223.70	0.50	9.74
BR-166	28g/t / 5.10m	265.10	270.20	5.10	28.26
BR-166		265.10	265.90	0.80	23.80
BR-166		265.90	266.40	0.50	2.47
BR-166		266.40	267.00	0.60	1.96
BR-166		267.00	268.00	1.00	0.94
BR-166		268.00	268.70	0.70	0.39
BR-166		268.70	269.20	0.50	0.88
BR-166		269.20	270.20	1.00	121.00
BR-167	23g/t / 5.25m	287.25	292.50	5.25	23.24
BR-167		287.25	288.00	0.75	15.80
BR-167		288.00	288.55	0.55	105.00
BR-167		288.55	289.10	0.55	3.57
BR-167		289.10	289.60	0.50	3.07
BR-167		289.60	290.35	0.75	6.00
BR-167		290.35	291.00	0.65	3.67
BR-167		291.00	291.50	0.50	31.20
BR-167		291.50	292.00	0.50	36.70
BR-167		292.00	292.50	0.50	16.10
BR-167	53g/t / 2.80m	296.50	299.30	2.80	52.83
BR-167		296.50	297.00	0.50	34.60
BR-167		297.00	297.70	0.70	14.90
BR-167		297.70	298.30	0.60	194.00
BR-167		298.30	298.80	0.50	1.82
BR-167		298.80	299.30	0.50	5.75
BR-168	2g/t / 5.65m	319.85	325.50	5.65	2.22
BR-168		319.85	320.60	0.75	0.81
BR-168		320.60	321.35	0.75	0.43
BR-168		321.35	322.45	1.10	1.29
BR-168		322.45	322.95	0.50	3.13
BR-168		322.95	323.50	0.55	2.44
BR-168		323.50	324.35	0.85	5.91
BR-168		324.35	325.00	0.65	0.73
BR-168		325.00	325.50	0.50	3.59
BR-169	12g/t / 10.55m	137.95	148.50	10.55	11.57
BR-169		137.95	138.65	0.70	8.75
BR-169		138.65	139.85	1.20	30.30
BR-169		139.85	140.35	0.50	63.30
BR-169		140.35	141.00	0.65	4.96
BR-169		141.00	141.60	0.60	3.10
BR-169		141.60	142.05	0.45	13.60
BR-169		142.05	142.80	0.75	3.88
BR-169		142.80	143.50	0.70	5.66

BR-169		143.50	144.30	0.80	4.30
BR-169		144.30	145.50	1.20	4.25
BR-169		145.50	146.15	0.65	7.72
BR-169		146.15	147.00	0.85	9.74
BR-169		147.00	147.55	0.55	5.74
BR-169		147.55	148.50	0.95	5.13
BR-188	4g/t / 3.55m	269.00	272.55	3.55	4.36
BR-188		269.00	270.00	1.00	1.63
BR-188		270.00	271.00	1.00	0.04
BR-188		271.00	271.50	0.50	0.10
BR-188		271.50	272.05	0.55	0.05
BR-188		272.05	272.55	0.50	27.50
BR-189	6g/t / 3.55m	126.20	129.75	3.55	5.79
BR-189		126.20	127.00	0.80	0.62
BR-189		127.00	128.00	1.00	0.48
BR-189		128.00	128.70	0.70	0.72
BR-189		128.70	129.25	0.55	29.30
BR-189		129.25	129.75	0.50	5.91
BR-201	20g/t / 7.35m	163.50	170.85	7.35	20.24
BR-201		163.50	164.50	1.00	1.47
BR-201		164.50	165.00	0.50	0.05
BR-201		165.00	165.50	0.50	211.00
BR-201		165.50	166.00	0.50	0.28
BR-201		166.00	166.50	0.50	2.79
BR-201		166.50	167.00	0.50	1.76
BR-201		167.00	167.60	0.60	3.07
BR-201		167.60	168.10	0.50	1.04
BR-201		168.10	168.60	0.50	2.62
BR-201		168.60	169.50	0.90	37.90
BR-201		169.50	170.00	0.50	1.93
BR-201		170.00	170.85	0.85	0.74
BR-202	8g/t / 4.70m	71.80	76.50	4.70	8.48
BR-202		71.80	72.30	0.50	26.70
BR-202		72.30	72.85	0.55	35.40
BR-202		72.85	73.35	0.50	2.20
BR-202		73.35	74.10	0.75	2.08
BR-202		74.10	75.00	0.90	0.53
BR-202		75.00	75.80	0.80	1.38
BR-202		75.80	76.50	0.70	4.00
BR-203	11g/t / 2.90m	73.70	76.60	2.90	11.49
BR-203		73.70	74.20	0.50	2.67
BR-203		74.20	75.00	0.80	14.30
BR-203		75.00	75.55	0.55	19.00
BR-203		75.55	76.10	0.55	13.50
BR-203		76.10	76.60	0.50	5.32
BR-204	17g/t / 5.00m	83.10	88.10	5.00	17.11
BR-204		83.10	83.60	0.50	4.86

BR-204		83.60	84.10	0.50	14.90
BR-204		84.10	84.60	0.50	62.80
BR-204		84.60	85.10	0.50	7.03
BR-204		85.10	85.60	0.50	7.39
BR-204		85.60	86.10	0.50	39.00
BR-204		86.10	86.60	0.50	26.20
BR-204		86.60	87.10	0.50	2.87
BR-204		87.10	87.60	0.50	1.49
BR-204		87.60	88.10	0.50	4.58
BR-206	25g/t / 4.65m	139.35	144.00	4.65	25.36
BR-206		139.35	139.85	0.50	17.40
BR-206		139.85	140.65	0.80	7.41
BR-206		140.65	141.25	0.60	151.00
BR-206		141.25	141.80	0.55	1.01
BR-206		141.80	142.80	1.00	0.31
BR-206		142.80	144.00	1.20	9.85
BR-216	10g/t / 3.90m	187.10	191.00	3.90	10.23
BR-216		187.10	187.65	0.55	28.10
BR-216		187.65	188.25	0.60	3.88
BR-216		188.25	189.25	1.00	11.60
BR-216		189.25	190.25	1.00	4.36
BR-216		190.25	191.00	0.75	8.22
BR-217	10g/t / 3.15m	163.90	167.05	3.15	10.31
BR-217		163.90	164.50	0.60	1.41
BR-217		164.50	165.00	0.50	0.77
BR-217		165.00	165.55	0.55	1.42
BR-217		165.55	166.05	0.50	0.68
BR-217		166.05	166.55	0.50	0.66
BR-217		166.55	167.05	0.50	59.60
BR-218	106g/t / 2.25m	77.70	79.95	2.25	106.40
BR-218		77.70	78.20	0.50	171.00
BR-218		78.20	78.95	0.75	107.00
BR-218		78.95	79.45	0.50	53.10
BR-218		79.45	79.95	0.50	94.20
BR-219	11g/t / 6.85m	48.85	55.70	6.85	11.21
BR-219		48.85	49.35	0.50	89.10
BR-219		49.35	50.30	0.95	1.76
BR-219		50.30	50.80	0.50	1.70
BR-219		50.80	51.30	0.50	1.03
BR-219		51.30	52.05	0.75	5.67
BR-219		52.05	52.55	0.50	13.60
BR-219		52.55	53.35	0.80	4.09
BR-219		53.35	53.85	0.50	6.64
BR-219		53.85	54.70	0.85	5.30
BR-219		54.70	55.70	1.00	7.03
BR-220	25g/t / 0.50m	231.30	231.80	0.50	24.80
BR-220		231.30	231.80	0.50	24.80

BR-221	3g/t / 7.80m	443.00	450.80	7.80	3.21
BR-221		443.00	443.50	0.50	3.52
BR-221		443.50	444.00	0.50	3.31
BR-221		444.00	444.50	0.50	1.46
BR-221		444.50	445.00	0.50	1.07
BR-221		445.00	445.50	0.50	2.66
BR-221		445.50	446.00	0.50	3.50
BR-221		446.00	446.50	0.50	2.32
BR-221		446.50	447.00	0.50	7.30
BR-221		447.00	447.60	0.60	0.80
BR-221		447.60	448.20	0.60	6.39
BR-221		448.20	448.70	0.50	7.69
BR-221		448.70	449.20	0.50	0.25
BR-221		449.20	449.80	0.60	1.03
BR-221		449.80	450.30	0.50	0.83
BR-221		450.30	450.80	0.50	5.15
BR-223	11g/t / 6.00m	524.50	530.50	6.00	10.53
BR-223		524.50	525.00	0.50	14.70
BR-223		525.00	525.65	0.65	3.83
BR-223		525.65	526.30	0.65	0.64
BR-223		526.30	527.00	0.70	16.00
BR-223		527.00	528.00	1.00	4.46
BR-223		528.00	528.50	0.50	1.33
BR-223		528.50	529.00	0.50	1.25
BR-223		529.00	529.50	0.50	57.50
BR-223		529.50	530.00	0.50	9.22
BR-223		530.00	530.50	0.50	5.20
BR-238	52g/t / 2.00m	49.10	51.10	2.00	51.73
BR-238		49.10	49.60	0.50	113.00
BR-238		49.60	50.10	0.50	5.77
BR-238		50.10	50.60	0.50	82.00
BR-238		50.60	51.10	0.50	6.13
BR-242	16g/t / 3.70m	83.80	87.50	3.70	15.96
BR-242		83.80	84.30	0.50	10.20
BR-242		84.30	84.80	0.50	40.60
BR-242		84.80	85.30	0.50	13.60
BR-242		85.30	85.80	0.50	1.68
BR-242		85.80	86.30	0.50	0.32
BR-242		86.30	86.80	0.50	2.59
BR-242		86.80	87.50	0.70	35.10
BR-243	15g/t / 10.40m	63.00	73.40	10.40	15.25
BR-243		63.00	64.00	1.00	3.30
BR-243		64.00	65.00	1.00	2.72
BR-243		65.00	65.70	0.70	3.23
BR-243		65.70	66.20	0.50	77.00
BR-243		66.20	67.20	1.00	22.80
BR-243		67.20	68.20	1.00	13.30

BR-243		68.20	69.00	0.80	72.00
BR-243		69.00	70.05	1.05	5.79
BR-243		70.05	70.55	0.50	0.89
BR-243		70.55	70.85	0.30	2.02
BR-243		70.85	72.00	1.15	5.78
BR-243		72.00	72.90	0.90	3.77
BR-243		72.90	73.40	0.50	1.83
BR-245	62g/t / 1.60m	405.00	406.60	1.60	62.13
BR-245		405.00	405.50	0.50	46.10
BR-245		405.50	406.10	0.60	2.27
BR-245		406.10	406.60	0.50	150.00
BR-246	6g/t / 1.00m	468.00	469.00	1.00	6.40
BR-246		468.00	469.00	1.00	6.40
BR-250B	64g/t / 1.85m	226.15	228.00	1.85	63.51
BR-250B		226.15	226.70	0.55	23.00
BR-250B		226.70	227.20	0.50	77.60
BR-250B		227.20	227.50	0.30	0.13
BR-250B		227.50	228.00	0.50	132.00
BR-251	90g/t / 2.00m	208.60	210.60	2.00	89.72
BR-251		208.60	209.10	0.50	283.00
BR-251		209.10	209.60	0.50	45.30
BR-251		209.60	210.10	0.50	7.08
BR-251		210.10	210.60	0.50	23.50
BR-252	8g/t / 13.50m	102.00	115.50	13.50	8.18
BR-252		102.00	103.50	1.50	1.73
BR-252		103.50	105.00	1.50	3.71
BR-252		105.00	106.50	1.50	1.02
BR-252		106.50	108.00	1.50	2.33
BR-252		108.00	109.40	1.40	1.45
BR-252		109.40	110.15	0.75	5.42
BR-252		110.15	110.65	0.50	2.14
BR-252		110.65	111.15	0.50	31.80
BR-252		111.15	111.65	0.50	19.50
BR-252		111.65	112.15	0.50	17.80
BR-252		112.15	112.65	0.50	18.20
BR-252		112.65	113.15	0.50	55.20
BR-252		113.15	113.65	0.50	32.50
BR-252		113.65	114.15	0.50	2.22
BR-252		114.15	115.50	1.35	1.07
BR-253	38g/t / 5.50m	36.50	42.00	5.50	38.39
BR-253		36.50	37.00	0.50	92.50
BR-253		37.00	37.50	0.50	22.60
BR-253		37.50	38.00	0.50	64.10
BR-253		38.00	38.50	0.50	19.70
BR-253		38.50	39.00	0.50	6.55
BR-253		39.00	39.50	0.50	2.51
BR-253		39.50	40.00	0.50	3.18

BR-253		40.00	40.50	0.50	7.98
BR-253		40.50	41.00	0.50	195.00
BR-253		41.00	41.50	0.50	6.59
BR-253		41.50	42.00	0.50	1.57
BR-254	4.95 g/t / 4.95m	25.50	30.45	4.95	4.95
BR-254		25.50	27.00	1.50	0.73
BR-254		27.00	27.75	0.75	8.07
BR-254		27.75	29.25	1.50	5.96
BR-254		29.25	30.45	1.20	7.01
BR-255	11g/t / 5.25m	73.50	78.75	5.25	11.25
BR-255		73.50	74.00	0.50	11.40
BR-255		74.00	74.50	0.50	28.20
BR-255		74.50	75.00	0.50	16.80
BR-255		75.00	75.50	0.50	1.09
BR-255		75.50	76.00	0.50	1.98
BR-255		76.00	76.80	0.80	7.48
BR-255		76.80	77.75	0.95	4.18
BR-255		77.75	78.25	0.50	1.86
BR-255		78.25	78.75	0.50	36.90
BR-320	24g/t / 0.60m	138.90	139.50	0.60	24.40
BR-320		138.90	139.50	0.60	24.40
BR-320	54g/t / 0.50m	150.45	150.95	0.50	53.50
BR-320		150.45	150.95	0.50	53.50
BR-321	30g/t / 2.50m	276.55	279.05	2.50	29.52
BR-321		276.55	277.05	0.50	94.70
BR-321		277.05	277.55	0.50	20.80
BR-321		277.55	278.05	0.50	23.30
BR-321		278.05	278.55	0.50	1.02
BR-321		278.55	279.05	0.50	7.78